



HEBEI DINGSHENG MACHINERY MANUFACTURE CO.,LTD

Wire straightening and cutting machine



Product Description

- Wire straightener and cutting machine can straighten and cut stainless steel wire, aluminum wire, cold-drawing wire and steel wire.
- This kind of machine wire diameter is from 3 to 12mm.
- The length could adjust according to customers demand.
- It is used in straightening-cutting stainless steel wire, aluminum wire, cold-drawing wire, and steel wire with plastics.
- This machine has many advantages, such as neat cutting mouth, less error and good functions



HEBEI DINGSHENG MACHINERY MANUFACTURE CO.,LTD

Main Parameter:

Model No.	MZ 1.5-3.5	MZ 2-5	MZ 3-6	MZ 4-8	MZ 4-12	MZ 5-12
wire diameter	1.5-3.5mm	2.0-5.0mm	3.0-6.0mm	4.0-8.0mm	4.0-12mm	5-12mm
Cutting length	30-2000mm	30-6000mm	30-6000mm	200-6000mm	200-6000	600-12000mm
Cut error	+/- 1mm	+/- 1mm	+/- 1mm	+/- 1mm	+/- 1mm	+/- 10mm
Speed	25m/min	30m/min	30m/min	35m/min	30m/min	45m/min
Straight motor	1.5kw	1.5kw	2.2kw	4.0kw	7.5kw	11kw
Cut motor	0.75kw	0.75kw	0.75kw	3.0kw	4.0kw	4kw
Overall size	1.7x0.4x0.8m	1.2x0.4x0.9m	1.2x0.5x1.1m	7.3x0.6x1.2m	8x0.8x1.3m	2.1x0.7x1.3m
Weight	130KG	150KG	180KG	650KG	1000KG	1200KG





HEBEI DINGSHENG MACHINERY MANUFACTURE CO.,LTD






Usage of straightening and cutting machine

The wire straightening and cutting machine is used to straightening galvanized wire, and then cut it into the needed length. It can do a prepare work for the wire mesh welding machine. So it is widely accepted to the factory who is dealing wire wires and wire mesh. Also widely used in construction area.




HEBEI DINGSHENG MACHINERY MANUFACTURE CO.,LTD





HEBEI DINGSHENG MACHINERY MANUFACTURE CO.,LTD

High speed wire straightening and cutting machine





HEBEI DINGSHENG MACHINERY MANUFACTURE CO.,LTD

High speed wire straightening machine parameter

Model	HSC3-6	HSC-5-9	HSC-6-12	HSC8-13	HSC12-20
Wire diameter	3-6mm	5-9mm	6-12mm	8-13mm	12-20mm
Cut length	30-6000mm	200-6000mm	200-6000mm	200-12000mm	200-12000mm
Straight motor	1.5kw	4.0kw	5.5kw	5.5kw	7.5kw
Cut motor	0.75kw	4.0kw	5.5kw	2.2kw	4.0kw
Speed	39m/min	32m/min	32m/min	32m/min	25m/min
Weight	240kg	380kg	480kg	550kg	1000kg
Dimension	1300*450*1100 mm	1450*500*1400 mm	1550*550*1450 mm	1600*550*1400 mm	2500*750*1700mm





HEBEI DINGSHENG MACHINERY MANUFACTURE CO.,LTD

